


Fusion-Crete 5-Minute Concrete MATERIAL SAFETY DATA SHEET

PRODUCT NAME:	Fusion-Crete 5 Minute Concrete Component "A", Liquid Activator. Item No. FC-V(A).
SECTION I	GENERAL INFORMATION
Name of Distributor:	ABS Concrete Systems Ltd.
Address:	RR1 Site 9 Box 11, Airdrie AB T4B 2A3
Telephone:	(403) 297-9898 or (800) 377-3639
Facsimile:	(403)297-9895
Chemical Family:	Inorganic salt solution with ammonium
Appearance & Odour:	Dark Green-coloured liquid with little odour
Date Prepared:	May 2007
Warning Statements:	None
SECTION II	FIRE AND EXPLOSION HAZARD DATA
Hazardous Components	None (Non-hazardous aqueous solution)
DOT Flammability Classification:	Aqueous solution. Will not burn.
Flash Point Range:	None to boiling
Extinguishing Media:	Material will not burn. Use that which is appropriate for surrounding fire.
Unusual Fire and Explosion Hazards:	No unusual fire or explosion hazards are normally expected
Fire-Fighting Procedures:	The use of a self-contained breathing apparatus (SCBA) is recommended for fire fighters. Water spray may be useful in minimizing vapours and cooling containers which are exposed to heat and flame.
SECTION III	REACTIVITY DATA
Stability:	Stable
Conditions to Avoid:	Exposure to heat may liberate ammonia fumes.
Materials to Avoid:	Avoid contact with strong bases, copper, brass, and their alloys
Hazardous Decomposition Products:	Thermal decomposition may yield oxides of nitrogen
Hazardous Polymerization:	Will not occur
SECTION IV	PHYSICAL DATA
Approximate Boiling Range:	Above 212° F
Vapor Density:	Heavier than water




Evaporation Rate:	Slower than Ether
Percent Volatile:	40
Solubility in Water:	Virtually 100% complete
Specific Gravity:	1.4 at 60° F
Approximate Bulk Density:	11.7 Lbs per gallon
Appearance and Odor:	Dark Green-coloured liquid with little odor

SECTION V	STORAGE AND SPECIAL PRECAUTIONS
Handling and Storing Precautions:	Store tightly closed containers in a cool, dry, well ventilated area. Protect containers from physical damage. Keep away from incompatible materials (see Section III)
Other Precautions:	Use good personal hygiene practice. Avoid inhalation of mists and personal contact with this product

SECTION VI	SPILL OR LEAK PROCEDURES
Precautions in Case of Release or Spill:	Stay upwind and away from spill. Flush spilled material into suitable retaining areas or containers with large quantities of water. Prevent spilled liquid from entering drains, sewers and waterways. After containment of the spilled product, pump it into vapour-tight plastic or stainless steel drums. Spilled material maybe absorbed in sand or an inert absorbent. Contact fire authorities and appropriate state/local agencies.
Waste Disposal Method:	Dispose of product in accordance with the applicable local, county, state, provincial, federal regulations.

SECTION VII	SPECIAL PROTECTION INFORMATION
Respiratory Protection:	Respiratory protection, such as a nuisance dust mask, maybe desirable to minimize exposure to mists
Ventilation:	If current ventilation practices are not adequate for minimizing exposures, additional ventilation or exhaust systems maybe required
Protective Gloves:	The use of gloves impermeable to the specific material handled is advised to prevent skin contact and possible irritation
Eye Protection:	Approved eye protection, such as tight-fitting protective goggles, is recommended to safeguard against any potential eye contact, irritation or injury
Other Protective Equipment:	It is suggested that a source of clean water be available in the work area for flushing eyes and skin if necessary. Impervious clothing should be worn as needed.



SECTION VIII	EMERGENCY AND FIRST AID PROCEDURES
Eye Contact:	This product may cause eye irritation. Direct contact with the liquid or exposure to its mists may cause burning, tearing and redness. If irritation or redness develops, move victim away from exposure and into fresh air. If the irritation or redness persists, seek medical attention. For direct contact, flush the affected eye(s) with clean water.
Skin Contact:	This product may cause skin irritation. Prolonged or repeated exposure to this material may cause redness, burning and dermatitis. Remove contaminated clothing. Cleanse affected area(s) thoroughly by washing with mild soap and water. If irritation or redness develops and persists seek medical attention.
Inhalation:	Inhalation of excessive concentrations of mists may cause irritation of the nose and throat. If this occurs, move victim away from cause of exposure and into fresh air. If symptoms persist, seek immediate medical attention. If breathing difficulties develop, oxygen should be administered by qualified personnel. If victim is not breathing, artificial respiration should be administered by qualified personnel. Seek immediate medical attention.
Ingestion:	Ingestion of excessive quantities may cause irritation of the digestive tract, vomiting, diarrhes and excessive urination. Seek emergency medical attention. If the victim is drowsy or unconscious, place on the left side with the head down and do not give anything by mouth. If victim is conscious and alert, vomiting should be induced for ingestion of large amounts (more than 5 ounces in an adult), preferably with syrup of ipecac under direction from a physician or poison centre.

DISCLAIMER OF EXPRESS AND IMPLIED WARRANTIES

The information in this document is believed to be correct as of date issued. However, no warranty of Merchantability, Fitness For any use or other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from use of the is information or the product, the safety of this product, or the hazards related to its use. This information and the product are furnished on the condition that the person or persons receiving them shall make his/her/their own determination as to the suitability of the product for his/her/their particular purpose and on the condition that he/she/they assume the risk of his/her/their use thereof.